

Buchbeiträge:

- Biomechanik des Gehens und Stehens
K. Klos, A. Wagner, T. Mückley
in „My Medibook elarning & medical Science“ My Medibook elarning & medical Science. www.my-medibook.de
- Klinische Untersuchung des Fußes und Sprunggelenks
K. Klos, P. Simons
in „Traumatologisch- orthopädische Untersuchung“ Hrsg. G.O. Hofmann, Elsevier 6/2016

Erst- und Letztautorenschaften:

- External iliac artery thrombosis associated with the ilio-inguinal approach in the management of acetabular fractures: a case report.
K. Klos, I. Marintshev, J. Böttcher, G. O. Hofmann, T. Mückley
Journal of Medical Case Reports. 2008 Jan 14;2:4.
- Periprothetische Femurfrakturen bei liegender Hüftgelenk- oder Kniegelenkprothese.
K. Klos, T. Mückley
Arzt und Krankenhaus (Organ des Verbandes der Leitenden Krankenhausärzte Deutschlands e.V.) 2008; Dez; 12: 366-370
- Biomechanical Evaluation of Plate Osteosynthesis of distal Fibula Fractures with Biodegradable Devices.
K. Klos, S. Sauer, F. Gras, G. O. Hofmann, T. Mückley
Foot & Ankle International. 2009 Mar; 30: 271-273
- Use of a Tibial ACL Guide for Precision Reaming in Ankle Arthrodesis Nailing.
K. Klos, G. O. Hofmann, T. Mückley
The Journal of Foot and Ankle Surgery 2009 Jul-Aug; 48(4):513-5
- Die tibiototalcalcaneare Arthrodesese mit einem winkelstabilen Marknagel mit Rückfußvalgus und Kompressionsmöglichkeit.
K. Klos, T. Drechsel, F. Gras, A. Pfeil, A. Tiemann, G. O. Hofmann, T. Mückley
Zeitschrift für Orthopädie und Unfallchirurgie 2009 Aug;147(4):445-451
- The use of a retrograde fixed-angle intramedullary nail for tibio-calcaneal arthrodesis after severe loss of the talus.
K. Klos, T. Drechsel, F. Gras, C. Beimel, A. Tiemann, G. O. Hofmann, T. Mückley
Strategies Trauma Limb Reconstr. 2009 Sep 10
- Calcaneal Fixation of a Retrograde Intramedullary Nail for Tibiototalcalcaneal Arthrodesis Using a Conventional Screw plus a Fixed-Angle Spiral Blade vs a Conventional Screw and a Fixed-Angle Screw. A Biomechanical Investigation.
K. Klos, B. Gueorguiev, K. Schwieger, R. Fröber, S. Brodt, G.O. Hofmann, M. Windolf, T.Mückley
Foot & Ankle International. 2009 Dec;30(12):1212-8
- Can Tibiototalcalcaneal Fusion Failure be Predicted by Intraoperative Mechanical Bone Strength Determination? A Biomechanical Investigation.
K. Klos, M. Windolf, K. Schwieger, P. Kuhn, M. Hänni, B. Gueorguiev, G.O. Hofmann, T. Mückley
Foot & Ankle International. 2009 Dec;30(12):1183-9

- Comparison of a Medial Locking Plate and Compression Screw Construct Versus a Two Crossed Screw Construct for Lapidus Arthrodesis in Hallux Valgus Surgery: A Biomechanical Investigation.
K. Klos, B. Gueorguiev, T. Mückley, R. Fröber, G.O. Hofmann, K. Schwieger, M. Windolf
Foot & Ankle International. 2010 Feb; 31(2): 158-63
- A biomechanical comparison of a biodegradable volar locked plate with two titanium volar locked plates in a distal radius fracture model.
K. Klos, S. Rausch, M. Löffler, R. Fröber, K. Hofmeier, M. Lenz, G.O. Hofmann, T. Mückley
Journal of Trauma. 2010 Apr;68(4):984-91
- Early Post-Traumatic Rotationplasty Following Severe Degloving and Soft-Tissue Avulsion Injury. A Case Report.
K. Klos, T. Mückley, F. Gras, G.O Hofmann, R. Schmidt
Journal of Orthopaedic Trauma, 2010 Feb;24(2):e1-5
- Development of a technique for cement augmentation of nailed tibiotalar calcaneal arthrodesis constructs.
K. Klos, D. Wähnert, B. Gueorguiev, K. Schwieger, G.O. Hofmann, M. Windolf, T. Mückley
Clin Biomech (Bristol, Avon). 2010 Apr 10, 576-81
- Arthrodesen am Sprunggelenk und Rückfuß.
T. Mückley, K. Klos
Trauma und Berufskrankheit 12 (4), 17 - 21, 2010
- The Use of DensiProbe™ in Hindfoot Arthrodesis. Can Fusion Failure be Predicted by Mechanical Bone Strength Determination?
K. Klos, T. Mückley, D. Wähnert, H. Zwipp, B.G. Gueorguiev, K. Schwieger , G.O. Hofmann, M. Windolf
Z Orthop Unfall. 2011 Mar 2. 206-211
- Die operative Versorgung von Sprunggelenkfrakturen.
K. Klos, S. Rausch, T. Mückley
Ärztebl. Thüringen, 22 (1), 17 - 21, 2011
- Distal Peroneal Tendon Dislocation – Case Report and Management Aspects.
K. Klos, T. Vag, F. Gras, V. König, G Hofmann, T. Mückley
Foot & Ankle International. 2011 Mar 3, 314-8
- Plantar versus dorsomedial locked plating for Lapidus arthrodesis: a biomechanical comparison.
K. Klos, P. Simons , AS. Hajduk, KL. Hoffmeier, F. Gras, R. Fröber, G.O. Hofmann, T. Mückley.
Foot & Ankle International 2011 Nov;32(11):1081-5
- Tibia-Allograft-Kalkaneus-Arthrodesis mit retrogradem Nagel
K. Klos, A. Lange, G. Matziolis, A. Wagner
Der Orthopäde. 2013 May 42 (5), 364-370
- Modified Lapidus arthrodesis with plantar plate and compression screw for treatment of hallux valgus with hypermobility of the first ray: A preliminary report
K. Klos, C. H. Wilde, A. Lange, A. Wagner, F. Gras, H. Skulev, T. Mückley, P. Simons
Foot and Ankle Surgery 2013 Dec;19(4):239-44

- Anatomical Evaluation of Different Approaches for Hindfoot Arthrodesis
S. Rausch, C. Loracher, R. Fröber, B. Gueorguiev, A. Wagner, P. Simons, K. Klos
Foot & Ankle International. 2014 Feb;35(2):163-7
- Lapidus Arthrodesis Plus Osteochondral Autograft Transplantation in the Management of Hallux Rigidus With an Elevated First Ray.
K. Klos, P. Simons
Foot & Ankle Specialist 2014 April (2) 135 – 139
- First Tarsometatarsal Arthrodesis: An Anatomic Evaluation of Dorsomedial Versus Plantar Plating
P. Simons, R. Fröber, C. Loracher, M. Knobe, F. Gras, G.O. Hofmann, K. Klos
J Foot Ankle Surg. 2015 Sep-Oct; 54(5):787-92
- Biomechanical investigation of two plating systems for medial column fusion in foot
P. Simons, T. Sommerer, I. Zderic, D. Wahl, M. Lenz, H. Skulev, M. Knobe, B. Gueorguiev, RG Richards, K. Klos PLoS One 2017 Feb; 21; 12 (2)
- Minimalinvasive Fußchirurgie
K. Klos, M. Walcher, L. Busch, P. Simons, M. Knobe
Chirurgische Praxis 2017 Aug 82; 4 559–568
- Verletzungen der Peronealsehnen. Häufig übersehen
K. Klos, M. Knobe, T. Randt, P. Simons, T. Mückley
Der Unfallchirurg 2017 Sept. 120(12), 1020-1030
- Minimalinvasive Fußchirurgie
K. Klos, M. Walcher, L. Busch, P. Simons, M. Knobe
Pädiatrische Praxis 2017 88, 1–10
- Influence of tibialis posterior muscle activation on foot anatomy under axial loading: A biomechanical CT human cadaveric study
K. Dullaert, J. Hagen, P. Simons, F. Gras, B. Gueorguiev, R. G. Richards, K. Klos
Foot and Ankle Surgery 2017, Nov 23 250–254
- Frakturen des oberen Sprunggelenks beim älteren Patienten
Klos K, Simons P, Mückley T, Karich B, Randt T, Knobe M.
Unfallchirurg. 2017 Nov; 120(11):979-992
- Soft tissue microcirculation around the healthy Achilles tendon: a cross-sectional study focusing on the Achilles tendon and dorsal surgical approaches to the hindfoot.
K. Klos, B. Gueorguiev, JB. Carow, A. Modabber, S. Nebelung, BS. Kim, K. Horst, CD: Weber, M. Knobe
J Orthop Surg Res. 2018 Jun 7;13(1):142.
- Biomechanical analysis of polyaxial locking vs. non-locking plate fixation of unstable fractures of the distal fibula: A cadaver study with a bone only model.
J. Hallbauer, A. Gräfenstein, S. Rausch, M. Knobe, P. Simons, T. Mückley, G.O. Hofmann, K. Klos
Foot Ankle Surg. 2018 Aug;24(4):326-329. doi: 10.1016/j.fas.2017.03.008.
Epub 2017 Mar 30
- Computed Tomography Analysis for Quantification of Displacement of the Distal Fibula in Different Foot Positions With Weightbearing and Sequentially Increased Instability: An Anatomic Cadaveric Study on Syndesmosis.

J. Hagen, S. Rausch, P. Simons, R. G. Richards, M. Lenz, M. Knobe B.
Gueorguiev, K. Klos
J Foot Ankle Surg. 2019 Jul;58(4):734-738. doi: 10.1053/j.jfas.2018.12.013

Geteilte Autorenschaft

- Evaluation of a polyaxial angle-stable volar plate in a distal radius C-fracture model - A biomechanical study.
S. Rausch, K. Klos, H. Stephan, K. Hoffmeier, F. Gras, M. Windolf, B. Gueorguiev, G.O. Hofmann, T. Mückley.
Injury. 2011 Feb 15

Co – Autorenschaften

- Concept of Tibiototalcalcaneal Fusion with a 3rd Generation Intramedullary Nail.
T. Mückley, A. Petrovitch, S. Ullm, K. Klos, G. O. Hofmann
Whitepaper Stryker 2006
- Comparison of two intramedullary nails for tibiototalcalcaneal fusion: anatomic and radiographic considerations.
T. Mückley, S. Ullm, A. Petrovitch, K. Klos, C. Beimel, R. Fröber, G. O. Hofmann.
Foot & Ankle International. 2007 May;28(5):605-13
- Angle-Stable and Compressed Angle-Stable Locking for Tibiototalcalcaneal Arthrodesis with Retrograde Intramedullary Nails Biomechanical Evaluation.
T. Mückley, K. Hoffmeier, K. Klos, A. Petrovitch, G. von Oldenburg, G. O. Hofmann
The Journal of Bone and Joint Surgery. American Volume. 2008
Mar;90(3):620-7
- 2D Navigation for improved entry portal placement in tibiototalcalcaneal arthrodesis with retrograde nails.
T. Mückley, K. Klos, M. Müller, G. O. Hofmann
Foot & Ankle International. 2009 Mar; 30: 243-251
- Navigated Percutaneous Screw Fixation of a Periprosthetic Acetabular Fracture.
F. Gras, I. Marintshev, K. Klos, A. Fujak, T. Mückley, G. O. Hofmann.
J Arthroplasty. 2009 Oct 16
- Sustentaculum Tali Screw Placement for Calcaneus Fractures - Different Navigation Procedures Compared to the Conventional Technique.
F. Gras, I. Marintshev, A. Wilharm, R. Lindner, K. Klos, T. Mückley, G. O. Hofmann
Z Orthop Unfall. 2010 Apr 22
- Biomechanical investigation of an alternative concept to angular stable plating using conventional fixation hardware.
M. Windolf, K. Klos, B. van der Pol, R. K. Radtke, K. Schwieger, R.P. Jakob.
BMC Musculoskelet Disord. 2010 May 21;11(1):95
- Navigation of vertebro-pelvic fixations based on CT-fluoro matching.
I. Marintshev, F. Gras, K. Klos, A. Wilharm, T. Mückley, G.O. Hofmann
Eur Spine J. 2010 Jun 16

- 2D-fluoroscopic navigated percutaneous screw fixation of pelvic ring injuries – a case series.
F. Gras, I. Marintschev, A. Wilharm, K. Klos, T. Mückley, G.O. Hofmann.
BMC Musculoskelet Disord. 2010 Jul 7;11(1):153
- Fluoro-Free navigated retrograde drilling of osteochondral lesions.
F. Gras, I. Marintschev, DM. Kahler DM, K. Klos, T. Mückley T, G.O. Hofmann
Knee Surg Sports Traumatol Arthrosc. 2010 Oct 7
- Arthroscopic-controlled navigation for retrograde drilling of osteochondral lesions of the talus.
F. Gras, I. Marintschev, M. Müller, K. Klos, R. Lindner, T. Mückley T, G.O. Hofmann
Foot Ankle Int. 2010 Oct;3 1(10):897-904
- Short-term outcome of retrograde tibiototalcaneal arthrodesis with a curved intramedullary nail.
T. Mückley, K. Klos, T. Drechsel, C. Beimel, F. Gras, Hofmann GO.
Foot Ankle Int. 2011 Jan;32(1):47-56
- Sprunggelenksverletzungen: Perspektive des Radiologen mit besonderer Berücksichtigung des akuten Rückfußtraumas.
M. Dietzel, K. Klos, T. Mückley, P. Baltzer
Ärztebl. Thüringen, 22 (1), 12 - 16, 2011
- Comparative Study on the Strength of Different Mechanisms of Operation of Multidirectionally Angle-Stable Distal Radius Plates
S. Rausch, K. Hoffmeier, BG. Gueorguiev, K. Klos, F. Gras, G.O. Hofmann, T. Mückley Z. Orthop Unfall. 2011 Nov 7
- Screw Placement for Acetabular Fractures; Which Navigation Modality (2-dimensional vs. 3-dimensional) Should Be Used? An Experimental Study.
F. Gras, I. Marintschev, K. Klos, T. Mückley , G.O. Hofmann, D.M. Kahler
J Orthop Trauma. 2012 Feb 18
- Volar versus dorsal latest-generation variable-angle locking plates for the fixation of AO type 23C 2.1 distal radius fractures: A biomechanical study in cadavers.
Rausch S, Schlonski O, Klos K, Gras F, Gueorguiev B, Hofmann GO, Mückley T.
Injury. 2013 Apr;44(4):523-6
- Biomechanical Characterization of an Osteoporotic Artificial Bone Model for the Distal Femur.
D. Wähnert, K.L. Hoffmeier, K. Klos, Y. Stolarczyk, R. Fröber, G.O. Hofmann, T. Mückley
J Biomater Appl. 2012 Jan;26(5):565-79
- Removal of a femoral nail with osseous overgrowth at the end cap - A navigated and cannulated minimal invasive technique
I. Marintschev, S. Rausch, A. Fajak, K. Klos, G.O. Hofmann, F. Gras
Computer Aided Surgery. 2013;18(1-2):41-6
- Utility of the Cortical Thickness of the Distal Radius as a Predictor of Distal-Radius Bone Density
S. Rausch, K. Klos, F. Gras, H. Skulev, A. Popp, G.O. Hofmann, T. Mückley
Archives of Trauma Research. 2013 June; 2(1): 11-15
- Percutaneous navigated screw fixation of glenoid fractures

- F. Gras, • I. Marintschev, • M. Aurich, S. Rausch, K. Klos, G.O. Hofmann
Arch Orthop Trauma Surg. 2013 Feb 17
- Standards in der Versorgung oberer Sprunggelenkfrakturen
M. Lenz, F. Gras, K. Klos, G.O. Hofmann
Trauma Berufskrankh 2013
 - Frakturen durch Materialentfernungen
F. Gras, I. Marintschev, M. Lenz, K. Klos, V. König, G.O. Hofmann
Trauma Berufskrankh 2013
 - Adjustment of traumatic femur shortening assisted by an intramedullar skeletal kinetic distractor: a case report.
S. Rausch, K. Klos, F. Gras, M. Dutschke, G.O. Hofmann, T. Mückley
J Med Case Rep. 2013 Aug 23;7(1):217
 - A biomechanical comparison of fixed angle locking compression plate osteosynthesis and cement augmented screw osteosynthesis in the management of intra articular calcaneal fractures.
Rausch S, Klos K, Wolf U, Gras M, Simons P, Brodt S, Windolf M, Gueorguiev B.
Int Orthop. 2014 Aug;38(8):1705-10
 - Biomechanical comparison of a lateral polyaxial locking plate with a posterolateral polyaxial locking plate applied to the distal fibula.
Hallbauer J, Klos K, Rausch S, Gräfenstein A, Wipf F, Beimel C, Hofmann G, Mückley T.
Foot Ankle Surg. 2014 Sep;20(3):180-5
 - Therapiestrategien bei Talusfrakturen
M. Lenz, I. Marintschev, K. Klos, G.O. Hofmann
Trauma und Berufskrankheit 2014 Oct
 - Biomorphometric analysis of ilio-sacro-iliacal corridors for an intra-osseous implant to fix posterior pelvic ring fractures
F. Gras, S. Hillmann, S. Rausch, K. Klos, G.O. Hofmann, I. Marintschev
Journal of Orthopaedic Research 11/2014 2015 Feb;33(2):254-60
 - Lateral soft-tissue release through a medial incision: Anatomic comparison of two techniques
P. Simons, K. Klos, C. Loracher, H.K. Skulev, F. Gras, G.O. Hofmann, R. Fröber
Foot Ankle Surg. 2015 Jun;21(2):113-8
 - Is percutaneous suturing superior to open fibrin gluing in acute Achilles tendon rupture?
M. Knobe, G. Gradl, K. Klos, J. Corsten, T. Dienstknecht, B. Rath, T. Sönmez, C. Hoeckle, H. C. Pape
International Orthopaedics 2015 Mar;39(3):535-42
 - Tangential View and Intraoperative Three-Dimensional Fluoroscopy for the Detection of Screw-Misplacements in Volar Plating of Distal Radius Fractures
S. Rausch, I. Marintschev, I. Graul, A. Wilharm, K. Klos, G.O. Hofmann
Archives of Trauma Research 06/2015; Sep. 4(2)
 - Enhancing Fixation Strength in Periprosthetic Femur Fractures by Orthogonal Plating—A Biomechanical Study
M. Lenz, K. Stoffel, B. Gueorguiev, K.Klos, H. Kielstein, G. O. Hofmann
Journal of Orthopaedic Research 2016, Apr. 34(4)

- Displaced intra-articular calcaneal fractures: is there a consensus on treatment in Germany?
T. Pastor, G. Gradl, K. Klos, B. Ganse, K. Horst, H. Andruszkow, F. Hildebrand, H.C. Pape, M. Knobe.
Int Orthop. 2016 Oct;40 (10):2181-2190
- The influence of the Peroneus Longus muscle on the foot under axial loading: A CT evaluated dynamic cadaveric model study
K. Dullaert, J. Hagen J, K. Klos ,B. Gueorguiev ,M. Lenz,RG. Richards, P. Simons Clin Biomechanics (Bristol, Avon) 2016 May 34, 7-11
- Does a polyaxial-locking system confer benefits for osteosynthesis of the distal fibula: A cadaver study
J. Hallbauer, K. Klos, A. Gräfenstein, P. Simons, S. Rausch, T. Mückley, G.O. Hofmann
Orthop Traumatol Surg Res. 2016 Sep;102(5):645-9
- Reconstruction of the lateral tibia plateau fracture with a third triangular support screw: A biomechanical study
E. Moran, I. Zderic, K. Klos, P. Simons, M. Triana, R.G. Richards, B. Guerguiev, M. Lenz
J Orthop Translat. 2017 Jan 3;11:30-38. doi: 10.1016/j.jot.2016.12.002.
eCollection 2017 Oct
- Effects of low-intensity pulsed ultrasound on soft tissue micro-circulation in the foot
A. K. Kösters, B. Ganse, B. Gueorguiev, K. Klos, A. Modabber, S. Nebelung, B. S. Kim, M.Knobe
International Orthopaedics 2017 Oct;41(10):2067-2074
- Neue Arthrodesetechniken am Rückfuß
M. Walcher, K. Klos, M. Knobe, L. Fraißler
Chirurgische Praxis 2017 Aug 82; 4 569–577
- Screw-blade fixation systems in Pauwels three femoral neck fractures: a biomechanical evaluation
M. Knobe, S. Altgassen, K. J. Maier, G. Gradl-Dietsch, C. Kaczmarek, S. Nebelung, K. Klos, B.S.Kim, B Gueorguiev, K. Horst, B. Buecking,
International Orthopaedics 2018 Feb;42(2):409-418
- Soft tissue micro-circulation in the healthy hindfoot: a cross-sectional study with focus on lateral surgical approaches to the calcaneus.
JB. Carow, B. Gueorguiev,K. Klos,C. Herren, M. Pishnamaz,CD. Weber,S. Nebelung ,BS. Kim, M. Knobe
International Orthopaedics 2018 Nov;42(11):2705-2713
- Influence of reduced tip-apex distance on helical blade fixation - a biomechanical study.
M. Lenz, J.Schwinn, L- Hofmann-Fliri, R. Schwyn, M. Knobe, K. Klos, H. Kielstein, G.O.Hofmann, B.Gueorguiev
J Orthop Res. 2019 Mar;37(3):649-654. doi: 10.1002/jor.24202
-